

Eaton RDU110630

Catalog Number: RDU110630

Eaton Redapt ARU Adaptor, 90 Degree, M32 Male x M25 Female, Brass, Electroless Nickel

General specifications

Product Name	Catalog Number
Eaton Redapt Metallic Adaptor and Reducer - Adaptor	RDU110630
	EAN
	5056009962172
Product Length/Depth	Product Height
26 mm	43.408 mm
Product Width	Product Weight
37.592 mm	0.09 kg
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer



Product specifications

NEC hazardous rating

Class I, Division 1

Class II, Division 2

Class III

Class I, Zone 1

Insulator

Non-insulated

Shape

Standard

Ingress protection (IP) ratings

IP66

IP67

IP68

End 1 Size

M32

Material

Brass

Standards type

IEC

Gender end 1

Male

Type of adapter/reducer

Standard

End 2 Type

NPT

Gender end 2

Female

End 1 Type

Metric

End 2 Size

3/4" NPT

NEMA Rating

4X

6P

Area classification

Hazardous/Classified Locations

Resources

Brochures

Oil and Gas Global catalogue

Certification reports

CCoE Certificate - Adaptors

INMETRO Certificate - Adaptors, reducers, unions and plugs

CSA Certificate - Adaptors, reducers, unions and plugs

Raxton and Redapt Regulatory instructions

IECEx Quality Assessment Report

CCoE Certificate - Reducers

ATEX Certificate - Adaptors, reducers and unions

EAC Certificate - Adaptors, reducers and unions

IECEx Certificate - Adaptors, reducers and unions

CSA Quality Assurance Notification Certificate

Specifications and datasheets

Eaton Specification Sheet - RDU110630

Technical data sheets

Redapt AM-U adaptors - Datasheet

Redapt AD-U adaptors and RD-U reducers - Datasheet

Redapt AF-U adaptors - Datasheet

Plating

Electroless nickel



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)