

Rittal – The System.

Faster – better – everywhere.

Connection accessories for self- assembly for LED system light, connector/jack – SZ 2500.650

Date : May 31, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Connection accessories for self-assembly for LED system light, connector/jack – SZ 2500.650

created: 31.05.2021 on www.rittal.com/com-en



Product description	
Design:	Connector, 2-pole
Product description	
Dimensions:	Width: 15.6 mm Height: 13.2 mm Depth: 61.6 mm
Rated operating voltage:	100 V - 240 V
Cable cross-sections:	Nominal cross-section: 1.5 mm ² Connection of round conductors, single-wire: 0,25 mm ² - 1,5 mm ² Connection of round conductors, single-wire: AWG 16 - AWG 22 Connection of round conductors, multi-wire: 0,25 mm ² - 1 mm ² Connection of round conductors, multi-wire: AWG 18 - AWG 22
Min. cable diameter:	3.8 mm
Max. cable diameter:	8.2 mm
Packs of:	5 pc(s).
Weight/pack:	0.06 kg
Copper weight (kg per piece):	0
EAN:	4028177918788

Customs tariff number:	85369095
ETIM 7.0:	EC000458
ETIM 6.0:	EC000458
eCl@ss 8.0/8.1:	27440314
eCl@ss 6.0/6.1:	27260702
Product description:	SZ Connector, for through-wiring, 2-pole, 100-240 V, Connection accessories for self-assembly
Approvals	
Approvals:	UR + C-UR
Declarations:	Declaration of conformity Manufacturer's declaration