


# Rittal – The System.

Faster – better – everywhere.



## SZ 2563.200

State: 4/23/2026 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SZ 2563.200 - with metric knockouts, for AX

Simply break through the plastic on the knockouts for cable glands. Additional rectangular cut-outs and reinforcement frames allow the cable gland to be installed directly (modular).



## Features

|                                           |                                                                                                                                                                                        |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.                                 | SZ 2563.200                                                                                                                                                                            |
| Product description                       | Simply break through the plastic on the knockouts for cable glands. Additional rectangular cut-outs and reinforcement frames allow the cable gland to be installed directly (modular). |
| Material                                  | Plastic to UL 94-V0                                                                                                                                                                    |
| Color                                     | RAL 7035                                                                                                                                                                               |
| Number of rectangular cutouts information | 1x rectangular cutout takes 10 sealing inserts, small                                                                                                                                  |
| Number of rectangular cutouts             | 4                                                                                                                                                                                      |
| Note                                      | The assignment of the flange plate size can be found on the respective housings                                                                                                        |
| No. of metric knockouts                   | 4 x M12<br>3 x M16<br>5 x M20<br>3 x M25<br>1 x M32<br>1 x M40                                                                                                                         |

# Features

|                                     |                                                                                                                 |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Dimensions                          | Width: 447 mm<br>Depth: 149 mm<br>Width: 17.6 "<br>Depth: 5.87 "                                                |
| Suitable for                        | Enclosure type: AX                                                                                              |
| Gland plate                         | Size: 3                                                                                                         |
| Operating temperature range         | -40 °C...80 °C<br>-40 °F...176 °F                                                                               |
| Protection category IP to EN 60 529 | IP 66 if correctly installed                                                                                    |
| Type rating according to UL 50E     | Type 1<br>Type 12                                                                                               |
| Packaging unit                      | 1 pc(s).                                                                                                        |
| Net weight                          | 0.42 kg                                                                                                         |
| Gross weight                        | 0.48 kg                                                                                                         |
| Customs tariff number               | 39269097                                                                                                        |
| ETIM 9                              | EC000211                                                                                                        |
| ETIM 8                              | EC000211                                                                                                        |
| ECLASS 8.0                          | 27142421                                                                                                        |
| Product description                 | SZ Plastic gland plates, for AX, for cable entry, modular, pre-punched, WD: 447x149 mm, for gland plates size 3 |

## Approvals

|           |                  |
|-----------|------------------|
| Approvals | UL + C-UL - FTТА |
|-----------|------------------|