


# Rittal – The System.

Faster – better – everywhere.



## SK 3201.990 Connection kit

State: 4/23/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3201.990 - Connection kit For air-water heat exchangers

For professional water supply installation and flow regulation

## Features

|                                          |                                                                                                                                                       |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.                                | SK 3201.990                                                                                                                                           |
| Product description                      | For professional water supply installation and flow regulation. The pressure hoses may be cut to length individually, depending on the application.   |
| Material                                 | Water-carrying parts EPDM/brass                                                                                                                       |
| Supply includes                          | Hose for water return<br>Hose for water inlet including regulator valve for regulating the volumetric flow (setting range 3 to 12 l/min)<br>Fasteners |
| Length                                   | 3,600 mm<br>142 "                                                                                                                                     |
| Water connections                        | G 3/8" internal thread                                                                                                                                |
| Suitable for Model No.                   | 3209.XX0<br>3210.XX0<br>3216.480<br>3363.XX0<br>3364.XX0<br>3373.XX0<br>3374.XX0<br>3375.XX0                                                          |
| Dimensions                               | Length: 3,600 mm<br>Length: 142 "                                                                                                                     |
| Permissible operating pressure (p. max.) | 1: 10 bar<br>14.5: 145 PSI                                                                                                                            |
| Packaging unit                           | 1 pc(s).                                                                                                                                              |
| Net weight                               | 4 kg                                                                                                                                                  |

# Features

|                       |                                                                                          |
|-----------------------|------------------------------------------------------------------------------------------|
| Gross weight          | 4.58 kg                                                                                  |
| Customs tariff number | 85444290                                                                                 |
| ETIM 9                | EC000855                                                                                 |
| ETIM 8                | EC000855                                                                                 |
| ECLASS 8.0            | 27180704                                                                                 |
| Product description   | SK Connection set, for air/water heat exchanger, G 3/8" internal thread, Length: 3600 mm |