

# Rittal – The System.

Faster – better – everywhere.



## CX 6704.000

## CX Pedestal

State: 4/22/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# CX 6704.000 - CX Pedestal

CX pedestals, four widths and two different depths provide the basis for every console solution. The AX lock plate ensures a uniform appearance, and two-part gland plates are included with the supply for simple cable routing.



## Features

|                 |                                                                                                                                            |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.       | CX 6704.000                                                                                                                                |
| Version         | Pedestal                                                                                                                                   |
| Material        | Housing: Carbon steel, 1.5 mm<br>Door: Carbon steel, 2.0 mm, all-round foamed-in PU seal<br>Mounting plate: Carbon steel, 2.5 mm           |
| Surface finish  | Housing and door: Dipcoat primed, powder-coated on the outside, textured paint<br>Mounting panel: Zinc-plated                              |
| Color           | RAL 7035                                                                                                                                   |
| Supply includes | Housing open at top<br>Door or double door at front, with 3-point locking system<br>Mounting panel<br>Base Plates<br>Lock: 3 mm double-bit |

# Features

|                                      |                                                                                                                                                                                                                                    |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dimensions                           | Width: 600 mm<br>Height: 675 mm<br>Depth: 500 mm<br>Width: 23.6 "<br>Height: 26.6 "<br>Depth: 19.7 "                                                                                                                               |
| Dimensions of mounting plate (W x H) | 520 mm x 625 mm<br>20.5 " x 24.6 "                                                                                                                                                                                                 |
| Number of doors                      | 1                                                                                                                                                                                                                                  |
| Door opening angle                   | 130°                                                                                                                                                                                                                               |
| IK code                              | IK10                                                                                                                                                                                                                               |
| Note                                 | To close the pedestal, a closure plate is required<br>For a 2-piece console setup, a desk unit and a closure plate for the desk unit are required<br>For a 3-piece console setup, a desk unit and console top-section are required |
| Protection category IP to IEC 60529  | IP 55                                                                                                                                                                                                                              |
| Protection category NEMA             | NEMA 1<br>NEMA 12                                                                                                                                                                                                                  |
| Base material                        | Carbon steel                                                                                                                                                                                                                       |
| No. of locks                         | 1                                                                                                                                                                                                                                  |
| Lock version                         | 3-point locking system                                                                                                                                                                                                             |
| Lock Insert                          | 3 mm double-bit                                                                                                                                                                                                                    |
| Lock                                 | Lock version: 3-point locking system<br>No. of locks: 1<br>Lock Insert: 3 mm double-bit                                                                                                                                            |
| Packaging unit                       | 1 pc(s).                                                                                                                                                                                                                           |
| Net weight                           | 34 kg                                                                                                                                                                                                                              |
| Gross weight                         | 35.75 kg                                                                                                                                                                                                                           |
| Customs tariff number                | 94032080                                                                                                                                                                                                                           |
| ETIM 9                               | EC000784                                                                                                                                                                                                                           |

# Features

|                     |                                                                |
|---------------------|----------------------------------------------------------------|
| ETIM 8              | EC000784                                                       |
| ECLASS 8.0          | 27180504                                                       |
| Product description | CX console system, pedestal, WHD: 600x675x500 mm, carbon steel |

# Approvals

|              |                           |
|--------------|---------------------------|
| Approvals    | UL + C-UL (listed)        |
| Explanations | Declaration of conformity |