

Rittal – The System.

Faster – better – everywhere.



IW 6900.700 Industrial Workstations

State: 4/23/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



IW 6900.700 - Industrial Workstations

Lower enclosure section, based on VX SE for Industrial Workstations.



Features

Model No.	IW 6900.700
Version	Designer door, rear panel screw-fastened from the inside
Material	Enclosure, designer door, rear panel: Carbon steel
Surface finish	Housing: Dipcoat-primed, powder-coated on the outside, textured paint
Color	Decorative trim panels: RAL 7015
Supply includes	Enclosure sealed at the sides Base plates, three-piece Leveling Feet Designer door, rear panel screw-fastened from the inside
Dimensions	Width: 600 mm Height: 900 mm Depth: 600 mm Width: 23.6 " Height: 35.4 " Depth: 23.6 "
Protection category IP to IEC 60529	IP 55
Packaging unit	1 pc(s).

Features

Net weight	44.6 kg
Gross weight	46.6 kg
PCF/VE (cradle-to-gate)	177.5 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94032080
ETIM 9	EC002502
ETIM 8	EC002502
ECLASS 8.0	27180501
Product description	IW Industrial workstation, enclosure, width x height x depth: 600x900x600 mm, with design door on front, rear panel

Approvals

Certificates	Surface finish
Explanations	Declaration of conformity