

Rittal – The System.

Faster – better – everywhere.



IW 6900.740 Industrial Workstations

State: 4/23/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



IW 6900.740 - Industrial Workstations

Lower enclosure section, based on VX SE for Industrial Workstations.



Features

Model No.	IW 6900.740
Version	Worktop, keyboard drawer, designer door, rear door
Material	Enclosure, keyboard drawer, designer door and rear door: Carbon steel Worktop: Chipboard, (plastic-laminated on both sides (edging))
Surface finish	Housing: Dipcoat-primed, powder-coated on the outside, textured paint
Color	Decorative trim panels: RAL 7015
Supply includes	Enclosure sealed at the sides Base plates, three-piece Leveling Feet Worktop, keyboard drawer, designer door, rear door Worktop, W x H x D 610 x 38 x 645 mm
Dimensions	Width: 600 mm Height: 1,000 mm Depth: 645 mm Width: 23.6 " Height: 39.4 " Depth: 25.4 "

Features

Protection category IP to IEC 60529	IP 54
Dimensions with worktop	Width: 610 mm Height: 1,043 mm Depth: 645 mm
Packaging unit	1 pc(s).
Net weight	71 kg
Gross weight	74 kg
PCF/VE (cradle-to-gate)	281.9 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94032080
ETIM 9	EC002502
ETIM 8	EC002502
ECLASS 8.0	27180501
Product description	IW industrial workstation, housing, WHD: 600x1000x645 mm, with worktop, keyboard drawer, design door at front, rear door

Approvals

Certificates	Surface finish
Explanations	Declaration of conformity