


# Rittal – The System.

Faster – better – everywhere.



## VX 8619.740

## System chassis 14 x 39 mm

State: 4/23/2026 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE




SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8619.740 - System chassis 14 x 39 mm for VX, VX SE, PC, IW, AX

For securing cable ducts, cable conduit holders, equipment installed on the door, etc.



## Features

|                                         |                                                                                                                    |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Model No.                               | VX 8619.740                                                                                                        |
| Product description                     | For securing cable ducts, cable conduit holders, equipment installed on the door, etc.                             |
| Material                                | Carbon steel                                                                                                       |
| Surface finish                          | Zinc-plated                                                                                                        |
| Supply includes                         | Assembly components                                                                                                |
| Distance between fixing points          | 775 mm                                                                                                             |
| Suitable for door width                 | 900 mm<br>35.4 "                                                                                                   |
| Installation options VX SE              | In door width 900 mm                                                                                               |
| Installation options AX stainless steel | In enclosure width + 800 mm                                                                                        |
| Mounting tip                            | For installation in AX carbon steel, only in conjunction with rails interior installation AX                       |
| Note                                    | Carbon steel screws or M5 self-tapping screws are required for extension with own components on the system chassis |

# Features

|                       |                                                                             |
|-----------------------|-----------------------------------------------------------------------------|
| Suitable for          | Enclosure type: VX SE<br>AX stainless steel                                 |
| Packaging unit        | 4 pc(s).                                                                    |
| Net weight            | 1.564 kg                                                                    |
| Customs tariff number | 73269098                                                                    |
| ETIM 9                | EC002620                                                                    |
| ECLASS 8.0            | 27189234                                                                    |
| Product description   | VX Punched section, with mounting flange 14 x 39 mm, for door width: 900 mm |

# Approvals

|              |                 |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|