

Product data sheet

Specifications



Selector switch, Harmony 9001K, metal, key switch, key active left, 30mm, key E10, 2 positions, Cam E, stay put, 1 CO pos 2

9001KS11K1H13

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------|-------------------------|
| Range of Product | Harmony 9001K |
| Product or Component Type | Selector switch |
| Device short name | K |
| Type of operator | maintained |
| Operator profile | Black key operated knob |

Complementary

| | |
|-------------------------------|---|
| Bezel material | Metal |
| Mounting diameter | 1.2 in (30 mm) |
| Operator position information | 2 positions |
| Key number | E10 |
| Key withdrawal position | Left |
| Contacts type and composition | 1 C/O |
| Connections - terminals | Screw-clamp terminals, 1 x 0.22...2 x 1.5 mm ² IEC 60947-1 |
| Device presentation | Complete product |
| Operator profile | Key switch |
| Type of operator | Stay put |
| Size | 30 mm |
| Cam profile | 5 |

Environment

| | |
|---------------------------|---|
| NEMA degree of protection | NEMA 1/2/3/3R/4/6/12/13 |
| Product Certifications | UL listed file E42259 CCN NKCR CE CSA LR24590 class 3211 03 |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CS121426 |
| Discount Schedule | 0CS1 |
| GTIN | 785901034803 |
| Returnability | Yes |
| Country of origin | MX |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

| | |
|------------------------|----------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 1.90 in (4.826 cm) |
| Package 1 Width | 2.20 in (5.588 cm) |
| Package 1 Length | 3.70 in (9.398 cm) |
| Package weight(Lbs) | 7.040 oz (199.581 g) |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

|  Materials and Substances | |
|---|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| SCIP Number | Ae0c4eb9-0bfb-40a4-851f-5c619f8e777d |
| REACH Regulation | REACH Declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Use Again

|  Repack and remanufacture | |
|---|--|
| Take-back | No |
| WEEE |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Offer Marketing Illustration

Product benefits / Features

Features
Harmony 9001K



-  Improved security thanks to finger-safe contact blocks and light modules
-  Single screw Contact Block Fastening
-  Robustness to withstand the harshest environments
-  Automatic self-grounding operators without additional wiring
-  Large metal set of accessories to customize your product

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Harmony 9001K

