

# Product data sheet

Specifications



30mm Push Button, Type K, keyed selector switch, 3 position, C cam, key withdrawal in any position

9001KS43K10

Product availability: Stock - Normally stocked in distribution facility

## Main

Range of Product	Harmony 9001K
Product or Component Type	Head for key selector switch
Device short name	K
Type of operator	maintained
Operator profile	Black key operated knob

## Complementary

Bezel material	Metal
Mounting diameter	1.2 in (30 mm)
Operator position information	3 positions
Key number	E10
Key withdrawal position	Left, right and center
Contacts type and composition	Without contact block
Device presentation	Basic element
Operator profile	Key switch
Type of operator	Stay put
Size	30 mm
Cam profile	3

## Environment

NEMA degree of protection	NEMA 1/2/3/3R/4/6/12/13
Product Certifications	CSA LR24590 class 3211 03 CE UL listed file E42259 CCN NKCR

## Ordering and shipping details

Category	US10CS121426
Discount Schedule	0CS1
GTIN	785901913801
Returnability	Yes
Country of origin	MX

## Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	2.20 in (5.588 cm)
<b>Package 1 Width</b>	1.80 in (4.572 cm)
<b>Package 1 Length</b>	3.60 in (9.144 cm)
<b>Package weight(Lbs)</b>	6.720 oz (190.509 g)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	Ae0c4eb9-0bfb-40a4-851f-5c619fbe777d
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	<p><b>WARNING:</b> This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="#">www.P65Warnings.ca.gov</a></p>

## Use Again

### Repack and remanufacture

Take-back	No
WEEE	<p> The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.</p>

## Offer Marketing Illustration

### Product benefits / Features

### Features

#### Harmony 9001K



-  Improved security thanks to finger-safe contact blocks and light modules
-  Single screw Contact Block Fastening
-  Robustness to withstand the harshest environments
-  Large metal set of accessories to customize your product
-  Automatic self-grounding operators without additional wiring

## Offer Marketing Illustration

## Product benefits / Features

## Technical Benefits

## Harmony 9001K



Image of product / Alternate images

Alternative

---



