

Product data sheet

Specifications



Pilot light head, Harmony 9001SK, plastic, without cap, 30mm, 24-28V

9001SKP35

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------|--|
| Range of Product | Harmony 9001SK |
| Product or Component Type | Head for pilot light |
| Light block supply | Full voltage 24 V Full voltage 28 V |

Complementary

| | |
|------------------------------|-------------------|
| Bezel material | Plastic |
| Mounting diameter | 1.2 in (30 mm) |
| Shape of signaling unit head | Round |
| Cap/operator or lens colour | Without cap |
| Bulb base | BA 9s |
| Operating Mode | Normal |
| [Us] rated supply voltage | 24...28 V |
| Light block supply | Full voltage |
| Size | 30 mm |
| Light source | Incandescent bulb |

Environment

| | |
|-------------------------|------|
| Protective treatment | TC |
| IP degree of protection | IP66 |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CS121429 |
| Discount Schedule | 0CS1 |
| GTIN | 785901048435 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------|--------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 1.90 in (4.826 cm) |
| Package 1 Width | 2.20 in (5.588 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|---------------------------|
| Package 1 Length | 3.70 in (9.398 cm) |
| Package weight(Lbs) | 2.720 oz (77.100 g) |
| Unit Type of Package 2 | S01 |
| Number of Units in Package 2 | 12 |
| Package 2 Height | 5.91 in (15.000 cm) |
| Package 2 Width | 5.91 in (15.000 cm) |
| Package 2 Length | 15.75 in (40.000 cm) |
| Package 2 Weight | 2.480 lb(US) (1.125 kg) |
| Unit Type of Package 3 | P06 |
| Number of Units in Package 3 | 384 |
| Package 3 Height | 29.53 in (75.000 cm) |
| Package 3 Width | 23.62 in (60.000 cm) |
| Package 3 Length | 31.50 in (80.000 cm) |
| Package 3 Weight | 97.017 lb(US) (44.006 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No

WEEE

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.