

# Product data sheet

Specifications



Selector switch, Harmony 9001SK,  
plastic, standard handle, black,  
30mm, 2 positions, stay put, 1 CO

9001SKS11BH1

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

|                           |                 |
|---------------------------|-----------------|
| Range of Product          | Harmony 9001SK  |
| Product or Component Type | Selector switch |
| Device short name         | 9001SK          |

## Complementary

|                               |                  |
|-------------------------------|------------------|
| Bezel material                | Plastic          |
| Mounting diameter             | 1.2 in (30 mm)   |
| Operator position information | 2 positions      |
| Contacts type and composition | 1 C/O            |
| Device presentation           | Complete product |
| Cap/operator or lens colour   | Black            |
| Operator profile              | Standard handle  |
| Type of operator              | Stay put         |
| Size                          | 30 mm            |
| Cam profile                   | 5                |

## Environment

|                                       |   |
|---------------------------------------|---|
| Protective treatment                  | TC  |
| Ambient Air Temperature for Storage   | -40...158 °F (-40...70 °C)  |
| Ambient Air Temperature for Operation | -13...158 °F (-25...70 °C)  |
| Electrical shock protection class     | Class II conforming to IEC 61140                                  |
| IP degree of protection               | IP66 IEC 60529  |
| NEMA degree of protection             | NEMA 1/2/3/3R/4/4X/6/12/13  |
| Product Certifications                | CSA LR24590 class 3211 03<br>CE<br>UL listed file E42259 CCN NKCR |

## Ordering and shipping details

|                   |              |
|-------------------|--------------|
| Category          | US10CS121429 |
| Discount Schedule | 0CS1         |
| GTIN              | 785901043386 |
| Returnability     | Yes          |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

|                   |    |
|-------------------|----|
| Country of origin | MX |
|-------------------|----|

## Packing Units

---

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

---

|                       |   |
|-----------------------|---|
| Nbr. of units in pkg. | 1 |
|-----------------------|---|

---

|                  |                    |
|------------------|--------------------|
| Package 1 Height | 1.90 in (4.826 cm) |
|------------------|--------------------|

---

|                 |                    |
|-----------------|--------------------|
| Package 1 Width | 2.20 in (5.588 cm) |
|-----------------|--------------------|

---

|                  |                    |
|------------------|--------------------|
| Package 1 Length | 3.70 in (9.398 cm) |
|------------------|--------------------|

---

|                     |                     |
|---------------------|---------------------|
| Package weight(Lbs) | 3.040 oz (86.183 g) |
|---------------------|---------------------|

## Contractual warranty

---

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

California proposition 65

**WARNING:** This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Use Again

### Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

WEEE

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.