

# Product data sheet

Specifications



Selector switch head, Harmony 9001SK, plastic, without handle, 30mm, 2 positions, spring return right to left

9001SKS34

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

|                           |                                                              |
|---------------------------|--------------------------------------------------------------|
| Product or Component Type | Head for selector switch                                     |
| Device short name         | K                                                            |
| Enclosure type            | Dust and oil resistant weatherproof enclosure indoor/outdoor |
| Mounting diameter         | 1.2 in (30 mm)                                               |
| Range of Product          | Harmony 9001SK                                               |

## Complementary

|                               |                             |
|-------------------------------|-----------------------------|
| Bezel material                | Plastic                     |
| Cap/operator or lens colour   | without cap                 |
| Contacts type and composition | Without contact block       |
| Operator position information | 2 positions                 |
| Operator profile              | Without handle              |
| Operator profile              | 1 projecting push-button    |
| Size                          | 30 mm                       |
| Type of operator              | Spring return right to left |
| Mechanical durability         | 0.5 Mcycles                 |
| Type of operator              | Spring return               |
| Contacts type and composition | Without contact block       |

## Environment

|                           |                                                                   |
|---------------------------|-------------------------------------------------------------------|
| IP Degree of Protection   | IP65/IP66                                                         |
| NEMA Degree of Protection | NEMA 3R/4X/13                                                     |
| Product Certifications    | UL listed file E42259 CCN NKCR<br>CE<br>CSA LR24590 class 3211 03 |

## Ordering and shipping details

|                   |              |
|-------------------|--------------|
| Category          | US10CS121429 |
| Discount Schedule | 0CS1         |
| GTIN              | 785901017530 |
| Returnability     | No           |
| Country of origin | MX           |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

|                        |                       |
|------------------------|-----------------------|
| Unit Type of Package 1 | PCE                   |
| Nbr. of units in pkg.  | 1                     |
| Package 1 Height       | 7.620 in (19.355 cm)  |
| Package 1 Width        | 3.00 in (7.62 cm)     |
| Package 1 Length       | 19.355 in (49.161 cm) |
| Package weight(Lbs)    | 3.200 oz (90.719 g)   |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

California proposition 65

**WARNING:** This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No