

Product data sheet

Specifications



Plug outlet, Linergy HK, 3P, 32A, 2 points, 4 mm², cable length 1000mm

AK5PC33L

Main

| | |
|---|------------------------------|
| Range | Linergy |
| Product name | HK |
| Product or component type | Plug outlet |
| Poles description | 3P |
| [Ith] conventional free air thermal current | 32 A |
| I ² t on activation | 200000 A ² .s |
| Number of points | 2 |
| Number of cables | 3 cable(s) 4 mm ² |
| Cable length | 1 m |
| Quantity per set | Set of 6 |

Complementary

| | |
|-------------------------------|--|
| [Ui] rated insulation voltage | 600 V conforming to CSA 600 V conforming to UL 690 V conforming to IEC 60439-1 |
| Peak current | 25 kA |
| Width | 36 mm |
| Height | 46 mm |
| Depth | 38 mm |

Environment

| | |
|------------------------|--|
| Standards | IEC 60439 |
| Product certifications | UL DNV LROS (Lloyds register of shipping) CSA |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 8.700 cm |
| Package 1 Width | 23.500 cm |
| Package 1 Length | 11.700 cm |
| Package 1 Weight | 150.000 g |

| | |
|-------------------------------------|-----------|
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 6 |
| Package 2 Height | 8.700 cm |
| Package 2 Width | 23.500 cm |
| Package 2 Length | 23.400 cm |
| Package 2 Weight | 990.000 g |
| Unit Type of Package 3 | S04 |
| Number of Units in Package 3 | 54 |
| Package 3 Height | 30.000 cm |
| Package 3 Width | 40.000 cm |
| Package 3 Length | 60.000 cm |
| Package 3 Weight | 9.800 kg |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

|  Materials and Substances | |
|---|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Compliant |
| REACH Regulation | REACH Declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| Halogen-free status | Halogen free plastic parts product |
| PVC free | Yes |
| Silicone-free | Yes |

Use Again

|  Repack and remanufacture | |
|---|---|
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |