Product End of Life Instructions

ATV630 CAB INT IP20/UL type 12 22KW 400V WO KEYPAD

Altivar Process







ENVEOLI2007011_V1 09/2020


Potential disassembly risks



- To service, remove all power.
- Wait 15 minutes
 Verify no voltage is present.

Failure to comply will result in death or serious injury

End of Life Instructions



ENVEOLI2007011_V1 09/2020

Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power) > 10cm ²	1550	
To be depolluted	3	Cable (high current)	327	
To be depolluted	1	Electronic Board (Communication) > 10cm ²	178	
To be depolluted	2	Electrolyte capacitors which size: height > 25 mm, diameter > 25 mm or proportionately similar volume	525	
To be dismantled	4	Polymer	2626	chassis, houssing
To be dismantled	5	Aluminium	2484	heatsink
To be dismantled	6	Steel	1335	bar
Other			4675	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The main function of the Altivar Process product range is the speed control and variation of a synchronous, asynchronous or reluctance electric motor for fluid management and industrial applications.
Product reference	ATV630D22N4ZU
Total representative product mass	13700 g
Representative product dimensions	480mm x 195mm x 225,5mm
Accessories	No accessories needed.
Date of information release	09/2020



Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

In case of special transportation: transportation method

No special tranportation.

Recyclability potential

72%

Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

35 rue Joseph Monier

CS 30323

FR 92500 Rueil Malmaison

RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI2007011_V1