

Product data sheet

Specifications



adaptation kit, Lexium, GBK, size 60, 16mm, for assembly motor and gearbox

GBK0600550F

Main

Range compatibility	Lexium 32 Lexium 62 ILM Lexium 62 Lexium 52
Product or component type	Adaptation kit
Device short name	GBK
Accessory / separate part category	Adaptation accessory
Product compatibility	ILM BSH MH3 BMH SH3
Accessory / separate part destination	For assembly motor and gearbox
Kit composition	An adaptor plate A shaft end adaptor Screws and bolts for mounting
Gearbox external diameter	60 mm

Complementary

Motor flange size	55 mm
Number of motor stacks	3 2 1
Length	16.1 mm
Net weight	0.2 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.000 cm
Package 1 Width	16.200 cm
Package 1 Length	17.600 cm
Package 1 Weight	213.000 g
Unit Type of Package 2	P06
Number of Units in Package 2	50
Package 2 Height	75.000 cm
Package 2 Width	60.000 cm

Package 2 Length	80.000 cm
------------------	-----------

Package 2 Weight	23.950 kg
------------------	-----------

Contractual warranty

Warranty	18 months
----------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

7c9e597c-8ccc-4daf-95fb-5d67fc70d561

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

PVC free

Yes

Use Again

Repack and remanufacture

End of life manual availability


No need of specific recycling operations

Take-back

No

Dimensions Drawings

Dimensions



(1) Gearbox

Ø8 shaft end adaptor in case motor shaft diameter is smaller than gearbox input coupling diameter

Values in mm

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
16.1	60	M5	63	14 x 9 x 20

Values in in.

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
0.63	2.36	M5	2.48	0.55 x 0.35 x 0.79