

Product data sheet

Specifications



adaptation kit, Lexium, GBK, size 120, 21mm, for assembly motor and gearbox

GBK1201003F

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|--|--|
| Range Compatibility | Lexium 32i Lexium 62 Lexium 62 ILM Lexium 32 Lexium 52 |
| Product or Component Type | Adaptation kit |
| Device short name | GBK |
| Accessory / separate part category | Adaptation accessory |
| Product Compatibility | BMI MH3 SH3 BMH BSH ILM |
| Accessory / separate part destination | For assembly motor and gearbox |
| Kit composition | An adaptor plate Screws and bolts for mounting A shaft end adaptor |
| Gearbox external diameter | 4.7 in (120 mm) |

Complementary

| | |
|-------------------------------|-----------------------|
| Motor flange size | 3.9 in (100 mm) |
| Number of motor stacks | 2 3 1 |
| Length | 0.9 in (21.8 mm) |
| Net Weight | 1.43 lb(US) (0.65 kg) |

Ordering and shipping details

| | |
|--------------------------|---------------|
| Category | US1PC5318283 |
| Discount Schedule | PC53 |
| GTIN | 3606480397899 |
| Returnability | Yes |
| Country of origin | DE |

Packing Units

| | |
|-------------------------------|-----|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|----------------------------|
| Package 1 Height | 3.94 in (10.000 cm) |
| Package 1 Width | 7.09 in (18.000 cm) |
| Package 1 Length | 7.48 in (19.000 cm) |
| Package weight(Lbs) | 24.582 oz (696.900 g) |
| Unit Type of Package 2 | P06 |
| Number of Units in Package 2 | 50 |
| Package 2 Height | 29.53 in (75.000 cm) |
| Package 2 Width | 23.62 in (60.000 cm) |
| Package 2 Length | 31.50 in (80.000 cm) |
| Package 2 Weight | 105.491 lb(US) (47.850 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

7c9e597c-8ccc-4daf-95fb-5d67fc70d561

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

PVC free

Yes

Use Again

Repack and remanufacture

Circularity Profile


No need of specific recycling operations

Take-back

No

Dimensions Drawings

Dimensions



(1) Gearbox

Ø8 shaft end adaptor in case motor shaft diameter is smaller than gearbox input coupling diameter

Values in mm

| a | c | Ø6 | Ø7 | Ø8 (outer diameter x inner diameter x length) |
|------|-----|----|-----|---|
| 21.8 | 115 | M8 | 115 | 24 x 19 x 36 |

Values in in.

| a | c | Ø6 | Ø7 | Ø8 (outer diameter x inner diameter x length) |
|------|------|----|------|---|
| 0.85 | 4.53 | M8 | 4.53 | 0.94 x 0.74 x 1.42 |