

Product data sheet

Specifications



Auxiliary contact support, TeSys GS, 30 to 32A, for switch disconnecter fuses GS1D

GS1AD10

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	TeSys
Device short name	GS1AD
Product or Component Type	Auxiliary contact support

Complementary

Fuse type	NFC DIN UL
Product Compatibility	GS
switch rated current	32 A 30 A

Ordering and shipping details

Category	US10I1122640
Discount Schedule	0I11
GTIN	3389110181494
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.15 in (8 cm)
Package 1 Width	1.57 in (4 cm)
Package 1 Length	5.12 in (13 cm)
Package weight(Lbs)	4.2 oz (120 g)
Unit Type of Package 2	S01
Number of Units in Package 2	14
Package 2 Height	5.91 in (15 cm)
Package 2 Width	5.91 in (15 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	4.158 lb(US) (1.886 kg)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty

18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Take-back	No
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.