

Product data sheet

Specifications



Motor circuit protector, TeSys GV5,
3 pole, 600VAC, max 150A rated,
25kA, unit mount

GV5PB150S

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Product name	TeSys GV5
Product or Component Type	Motor protection circuit breaker
Poles description	3P
[Ue] rated operational voltage	600 V AC
Line Rated Current	150 A
Breaking capacity code	S
Breaking capacity	100 kA 240 V AC 65 kA 480 V AC 25 kA 600 V AC
Trip unit technology	ElectronicMicroLogic 2.2 M,
Thermal protection adjustment range	58... 130 A
Phase failure sensitivity	Yes

Complementary

Mounting Mode	Unit mount
AWG gauge	AWG 14...AWG 3/0 aluminium/copper
Electrical connection	Lugs, load Lugs, line
Product certifications	UL Listed CSA
Tightening torque	44.3 lbf.in (5 N.m) 0.004...0.1 in ² (2.5...95 mm ²) (AWG 14...AWG 3/0)
Width	4.12 in (104.65 mm)
Height	6.4 in (162.6 mm)
Depth	4.36 in (110.74 mm)

Environment

Ambient Air Temperature for Operation	104 °F (40 °C)
---------------------------------------	----------------

Ordering and shipping details

Category	US10I1122365
Discount Schedule	0I11
GTIN	3606486287606
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	US
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.42 in (16.3 cm)
Package 1 Width	4.13 in (10.5 cm)
Package 1 Length	4.37 in (11.1 cm)
Package weight(Lbs)	5.00009 lb(US) (2.268 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	692

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Again

Repack and remanufacture	
Take-back	No

Image of product / Alternate images

Alternative

