

Product data sheet

Specifications



Extended rotary handle, TeSys GV7, black legend plate, padlockable, IP55

GV7AP01

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Product or Component Type	Extended rotary handle
Device short name	GV7AP
Range compatibility	TeSys TeSys GV7 motor circuit breaker TeSys TeSys GV5 motor circuit breaker
Accessory / separate part category	Control accessory
Rotary handle mounting location	Front
Rotary handle mounting style	Extended

Complementary

Handle colour	Black
Handle front plate colour	Black
Back/door distance	7.3...23.6 in (185...600 mm)
Rotary handle padlocking	1 to 3 padlocks 0.2...0.3 in (5...8 mm) Padlock in OFF position
Net Weight	1.709 lb(US) (0.775 kg)

Environment

IP Degree of Protection	IP55
-------------------------	------

Ordering and shipping details

Category	US10I1122366
Discount Schedule	0I11
GTIN	3389110567328
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.90 in (9.900 cm)
Package 1 Width	4.17 in (10.600 cm)
Package 1 Length	19.37 in (49.200 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs)	25.044 oz (710.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	6
Package 2 Height	11.81 in (30.000 cm)
Package 2 Width	15.75 in (40.000 cm)
Package 2 Length	23.62 in (60.000 cm)
Package 2 Weight	12.152 lb(US) (5.512 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	12
Package 3 Height	17.72 in (45.000 cm)
Package 3 Width	31.50 in (80.000 cm)
Package 3 Length	23.62 in (60.000 cm)
Package 3 Weight	41.888 lb(US) (19.000 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Recycled metal content at CR level **0**

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant with Exemptions**

SCIP Number **66ab381c-81b1-42a8-ae7a-ce3f5adb691a**

California proposition 65 **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture


[Circularity Profile](#) [End of Life Information](#)

Take-back **No**

WEEE  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**

Dimensions Drawings

Extended Rotary Handle GV7AP01, GV7AP02



l: 185 minimum, 600 maximum

The shaft of the extended rotary handle GV7AP01 or GV7AP02 must be cut to length: l – 126 mm.