

# Product data sheet

Specifications



## TeSys Deca - auxiliary contact block - 2 NO

GVAN20

**Product availability: Stock - Normally stocked in distribution facility**

### Main

<b>Range</b>	TeSys TeSys Deca
<b>Device short name</b>	GVAN
<b>Product or Component Type</b>	Auxiliary contact block
<b>Product Compatibility</b>	GV2ME GV3P GV2RT GV2LE GV2L GV3L GV2P
<b>Mounting Location</b>	Left side
<b>Pole contact composition</b>	2 NO

### Complementary

<b>[Ui] rated insulation voltage</b>	600 V UL 508 690 V IEC 60947-1 600 V CSA C22.2 No 14
<b>[Ue] rated operational voltage</b>	48...690 V AC 24...240 V DC
<b>[Ith] conventional free air thermal current</b>	6 A
<b>Mechanical durability</b>	100000 cycles
<b>Minimum switching current</b>	5 mA
<b>Minimum switching voltage</b>	17 V
<b>Protection type</b>	GB2CB... circuit breaker GG fuse 10 A
<b>Rated operational power in VA</b>	300 VA 48 V AC-15 100000 cycles 414 VA 690 V AC-15 100000 cycles 500 VA 110...127 V AC-15 100000 cycles 500 VA 500 V AC-15 100000 cycles 650 VA 440 V AC-15 100000 cycles 720 VA 230...240 V AC-15 100000 cycles 850 VA 380...415 V AC-15 100000 cycles
<b>Rated operational power in W</b>	120 W 240 V DC-13 100000 cycles 140 W 110 V DC-13 100000 cycles 140 W 24 V DC-13 100000 cycles 180 W 60 V DC-13 100000 cycles 240 W 48 V DC-13 100000 cycles
<b>Tightening torque</b>	12.4 lbf.in (1.4 N.m) screw clamp terminals
<b>Height</b>	3.5 in (89 mm)
<b>Width</b>	0.4 in (9.3 mm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Depth	2.6 in (66 mm)
Net Weight	0.11 lb(US) (0.05 kg)
color	Dark grey

## Environment

Environmental characteristic	Normal environment
Product Certifications	UKCA

## Ordering and shipping details

Category	US10I1122367
Discount Schedule	0I11
GTIN	3389110343502
Returnability	Yes
Country of origin	CZ

## Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.701 in (9.400 cm)
Package 1 Width	3.858 in (9.800 cm)
Package 1 Length	5.906 in (15.000 cm)
Package weight(Lbs)	1.446 oz (41.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.740 in (9.500 cm)
Package 2 Width	3.858 in (9.800 cm)
Package 2 Length	5.906 in (15.000 cm)
Package 2 Weight	16.261 oz (461.000 g)
Unit Type of Package 3	S02
Number of Units in Package 3	60
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	6.724 lb(US) (3.050 kg)

## Contractual warranty

Warranty	18 months
----------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	1
--	---

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	Yes
--	-----

Packaging without single use plastic	Yes
--------------------------------------	-----

<a href="#">EU RoHS Directive</a>	Compliant
-----------------------------------	-----------

REACH Regulation	<a href="#">REACH Declaration</a>
------------------	-----------------------------------

California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
---------------------------	--

## Use Again

### Repack and remanufacture

Circularity Profile	<a href="#">End of Life Information</a>
---------------------	---

Take-back	No
-----------	----

WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
------------	--

## Connections and Schema

---

GVAN20



Technical Illustration

Assembly's dimensions

---

