# Product data sheet

Specifications

## Rotary handle,TeSys Deca Frame 2/3,TeSys Ulta,IP54,red handle,with trip indication

GVAPR54

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range** | TeSys |
| **Device short name** | GVAP |
| **Product or Component Type** | Rotary handle |
| **Accessory / separate part category** | Control accessory |
| **Handle colour** | Red |
| **Handle front plate colour** | Yellow |

## Complementary

| | |
|---|---|
| **Product Compatibility** | GV2APN<br>GV3APN<br>LU9APN |
| **Rotary handle padlocking** | Padlock in OFF position |
| **Rotary handle mounting style** | Direct |
| **Locking options description** | 1 to 3 padlocks |
| **Position Indicator** | Trip position |
| **Height** | 1.7 in (43 mm) |
| **Width** | 2.4 in (60 mm) |
| **Depth** | 2.4 in (60 mm) |
| **Net Weight** | 0.33 lb(US) (0.15 kg) |

## Environment

| | |
|---|---|
| **Product certifications** | CULus |
| **IP degree of protection** | IP54 |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10I1122367 |
| **Discount Schedule** | 0I11 |
| **GTIN** | 3606480160882 |
| **Returnability** | No |
| **Country of origin** | CZ |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|---|---|
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 2.64 in (6.700 cm) |
| **Package 1 Width** | 3.70 in (9.400 cm) |
| **Package 1 Length** | 5.31 in (13.500 cm) |
| **Package weight(Lbs)** | 6.138 oz (174.000 g) |
| **Unit Type of Package 2** | S03 |
| **Number of Units in Package 2** | 32 |
| **Package 2 Height** | 11.81 in (30.000 cm) |
| **Package 2 Width** | 11.81 in (30.000 cm) |
| **Package 2 Length** | 15.75 in (40.000 cm) |
| **Package 2 Weight** | 14.129 lb(US) (6.409 kg) |

# Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

## 🌱 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained ›

How we assess product sustainability ›

### 🍃 Environmental footprint

| | |
|---|---|
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### 🍂 Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant with Exemptions** |
| SCIP Number | **66ab381c-81b1-42a8-ae7a-ce3f5adb691a** |
| REACh Regulation | **REACh Declaration** |
| California proposition 65 | **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov** |

## Use Again

### ↻ Repack and remanufacture

| | |
|---|---|
| Circularity Profile | **End of Life Information** |
| Take-back | **No** |
| WEEE | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.** |