

Product data sheet

Specifications



IP 65 seal for 60 x 60 mm front plate and front mounting cam switch - set of 5

KZ66

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------------------|--|
| Range of Product | Harmony Series K1/K2 |
| Accessory / separate part designation | Rubber seal for IP65 degree of protection |
| Accessory / Separate Part Type | Seal |
| Accessory / separate part category | Protection accessories |
| Product Compatibility | K2 K1 |
| Accessory / separate part destination | 4 holes front mounting operating head with 60x 60 mm front plate Ø 22 mm front mounting operating head with 60x 60 mm front plate |
| Range Compatibility | VARIO Mini-VARIO |
| Material | Rubber |
| Sale per indivisible quantity | 5 |

Complementary

| | |
|------------|-------------------------|
| Net Weight | 0.009 lb(US) (0.004 kg) |
|------------|-------------------------|

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US10CP121730 |
| Discount Schedule | 0CP1 |
| GTIN | 3389110552294 |
| Returnability | Yes |
| Country of origin | CZ |

Packing Units

| | |
|------------------------------|-----------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 0.39 in (1 cm) |
| Package 1 Width | 4.33 in (11 cm) |
| Package 1 Length | 5.91 in (15 cm) |
| Package weight(Lbs) | 0.2 oz (7 g) |
| Unit Type of Package 2 | BAG |
| Number of Units in Package 2 | 5 |
| Package 2 Height | 5.91 in (15 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|------------------|
| Package 2 Width | 0.39 in (1 cm) |
| Package 2 Length | 4.33 in (11 cm) |
| Package 2 Weight | 1.3 oz (36 g) |
| Unit Type of Package 3 | S01 |
| Number of Units in Package 3 | 100 |
| Package 3 Height | 5.91 in (15 cm) |
| Package 3 Width | 5.91 in (15 cm) |
| Package 3 Length | 15.75 in (40 cm) |
| Package 3 Weight | 29.6 oz (838 g) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

| | |
|--|---|
| Carbon footprint (kg CO2 eq, Total Life cycle) | 1 |
|--|---|

| | |
|--------------------------|---|
| Environmental Disclosure | Product Environmental Profile |
|--------------------------|---|

Use Better

Materials and Substances

| | |
|--|-----|
| Packaging made with recycled cardboard | Yes |
|--|-----|

| | |
|--------------------------------------|----|
| Packaging without single use plastic | No |
|--------------------------------------|----|

| | |
|-----------------------------------|-----------|
| EU RoHS Directive | Compliant |
|-----------------------------------|-----------|

| | |
|------------------|-----------------------------------|
| REACH Regulation | REACH Declaration |
|------------------|-----------------------------------|

| | |
|---------------------------|--|
| California proposition 65 | WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov |
|---------------------------|--|

Use Again

Repack and remanufacture

| | |
|---------------------|--|
| Circularity Profile | No need of specific recycling operations |
|---------------------|--|

| | |
|-----------|----|
| Take-back | No |
|-----------|----|

| | |
|------|--|
| WEEE |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |
|------|--|