

Product data sheet

Specifications



TeSys SK, Suppressor module, varistor, 24...48V AC/DC

LA4SKE1E

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Device short name	LA4SK
Product or Component Type	Suppressor module
Product Compatibility	CA2SK LC1SK06 CA3SK LC1SKGC LP1SK06
Suppressor technology	Varistor (peak limiting)
Quantity per Set	Set of 10

Complementary

Mounting Location	Right hand side
[Uc] control circuit voltage	24...48 V AC/DC
Maximum peak voltage	2 Uc
Net Weight	0.007 lb(US) (0.003 kg)

Environment

Ambient Air Temperature for Operation	-4...122 °F (-20...50 °C)
Ambient Air Temperature for Storage	-58...158 °F (-50...70 °C)

Ordering and shipping details

Category	US10I1222371
Discount Schedule	0I12
GTIN	3389110564037
Returnability	Yes
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.57 in (4.000 cm)
Package 1 Width	4.72 in (12.000 cm)
Package 1 Length	0.39 in (1.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs)	0.071 oz (2.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.57 in (4.000 cm)
Package 2 Width	4.72 in (12.000 cm)
Package 2 Length	1.97 in (5.000 cm)
Package 2 Weight	0.988 oz (28.000 g)
Unit Type of Package 3	S01
Number of Units in Package 3	190
Package 3 Height	5.91 in (15.000 cm)
Package 3 Width	5.91 in (15.000 cm)
Package 3 Length	15.75 in (40.000 cm)
Package 3 Weight	27.055 oz (767.000 g)

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 1

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic Yes

[EU RoHS Directive](#) Compliant with Exemptions

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No

WEEE  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.