

Product data sheet

Specifications



Pre-wired undervoltage release MN, ComPacT NSXm, 24VDC, 24VAC 50/60Hz

LV426821

Product availability: Stock - Normally stocked in distribution facility

Main

Range	ComPact
Range of Product	ComPacT NSXm
Device short name	MN
Product or Component Type	Voltage release
Device Application	Control
Voltage release type	Opening coil Undervoltage release
[Uc] control circuit voltage	24 V AC 50/60 Hz 24 V DC
Range compatibility	ComPact ComPacT NSXm ComPact ComPacT NSXm PowerPact PowerPact B

Complementary

Operating threshold	0.35...0.7 x Un opening 0.85 x Un closing
Response time	< 50 ms
Auxiliary connection terminal	pre-wired 0...0.001 in ² (0...0.8 mm ²) AWG 18)stranded copper
Wire stripping length	0.3 in (8 mm)
Cable length	3.3 ft (1 m)

Ordering and shipping details

Category	US10DE201136
Discount Schedule	0DE2
GTIN	3606485412917
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.3 in (3.4 cm)
Package 1 Width	2.4 in (6.1 cm)
Package 1 Length	3.3 in (8.3 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs)	2.8 oz (80 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.5 in (9 cm)
Package 2 Width	3.3 in (8.5 cm)
Package 2 Length	5.1 in (13 cm)
Package 2 Weight	29.5 oz (837 g)
Unit Type of Package 3	S03
Number of Units in Package 3	120
Package 3 Height	11.8 in (30 cm)
Package 3 Width	11.8 in (30 cm)
Package 3 Length	15.7 in (40 cm)
Package 3 Weight	23.1 lb(US) (10.5 kg)



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 252

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic Yes

[EU RoHS Directive](#) Compliant with Exemptions

SCIP Number 75582d60-9779-4641-a03b-18e996230a58

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Halogen content performance Product contains halogen above thresholds

Silicon free No

Use Again

Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back No

WEEE Label  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.