

Product data sheet

Specifications



Short terminal shield, ComPacT NSX100/160/250, pitch 35mm, IP40, 3 poles

LV429515

Product availability: Stock - Normally stocked in distribution facility

Main

Product or Component Type	Short terminal shield
Range compatibility	ComPacT ComPacT NSX100 ComPacT ComPacT NSX160 ComPacT ComPacT NSX250 ComPact ComPact NSX100 ComPact ComPact NSX160 ComPact ComPact NSX250 ComPacT ComPacT NSX DC NSX100 DC ComPacT ComPacT NSX DC NSX160 DC ComPacT ComPacT NSX DC NSX250 DC ComPact Compact NSX100 DC ComPact Compact NSX160 DC ComPact Compact NSX250 DC EasyPact EasyPact CVS100 EasyPact EasyPact CVS160 EasyPact EasyPact CVS250
Accessory / Separate Part Type	Insulation accessories
Poles description	3P
Quantity per Set	1

Complementary

Connection pitch	1.4 in (35 mm)
IP degree of protection	IP40 conforming to IEC 60529
Product Compatibility	Circuit-breaker Plug-in base

Ordering and shipping details

Category	US10DE201103
Discount Schedule	0DE2
GTIN	3606480019890
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.984 in (2.500 cm)
Package 1 Width	6.496 in (16.500 cm)
Package 1 Length	6.693 in (17.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs)	1.834 oz (52.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	60
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	8.393 lb(US) (3.807 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	240
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	60.030 lb(US) (27.229 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 1

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING:** This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Halogen content performance Product contains halogen above thresholds

PVC free Yes

Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No