


The rear view of the SBC-1000 shows the following ports and connectors from left to right:

- CH1**: A single RJ45 port.
- CH2 COBOT**: A dual RJ45 port.
- DC Input (48VDC)**: A green 3-pin header with pins labeled **5V**, **GND**, and **V+**.
- S02 Reset Acc.**: A small circular button.
- USB**: A standard USB-A port.
- LAN**: A dual RJ45 port with status LEDs.
- GPIO**: A green 20-pin header.
- Power**: A green circular power button.





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power) > 10cm²	212	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Cobot Compact Controller of the Lexium Cobot provides: • Power supply for the Lexium Cobot Arm • Interface to connect the Control Stick • Interface to operation terminal either via cable or WiFi connection • Interfaces to several Inputs / Outputs of different kinds A Control Stick is included in the scope of delivery of the Lexium Cobot Compact Controller, which can be used for various operations. After commissioning is completed, the Control Stick is intended to control the Lexium Cobot Arm.
Product reference	LXMRL00C2000
Total representative product mass	1554 g
Representative product dimensions	180mm x 47mm x 128mm
Date of information release	01/05/2024

Additional information

Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Recyclability potential

66%

Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2405020_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

05-2024