

Product End of Life Instructions

Solid core LVCT 400A 0.333V output 6 ft





Potential disassembly risks

WARNING


HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH

- Turn off and lock out power to the primary circuit before installing these current transformers.
- Use a properly rated voltage sensing device to confirm that power is off.
- Read, understand and follow the instructions before installing this product.
- Turn off all power-supplying equipment before working on or inside the equipment.
- Use a properly rated voltage sensing device to confirm that power is off. Do not depend on this product for voltage indication.

Failure to follow these instructions will result in death or serious injury.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Plastics	20	Case

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Solid core Current Transformers (CTs) provide secondary voltage AC proportional to the primary (sensed) current. These CTs can be used in combination with measurement devices (switchboard instrumentation, Ammeters, kilowatt-hour meters, power-monitoring units, control relays etc.).
Product reference	METSECTLV31040U
Additional similar product references	METSECTLV10005U, METSECTLV10010U, METSECTLV25020U
Total representative product mass	215 g
Representative product dimensions	H 81mm x W 71mm x D 25mm
Date of information release	9/1/2024

Additional information

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	80%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2408032_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

9/1/2024