

# Product data sheet

Specifications

## EasyLogic PM2X30 - I/O Module - Digital - 2 Inputs + 2 outputs

METSEPM2KDGTLIO22



### Main

Range	EasyLogic
Device short name	PM2K2DIDO
Product or component type	I/O module
Device application	Optional expansion module
Range compatibility	EasyLogic EasyLogic PM2100 PM2130 EasyLogic EasyLogic PM2200 PM2230

### Complementary

Switching frequency	2 Hz digital input
[U <sub>i</sub> ] rated insulation voltage	2500 V
Number of outputs	2 configurable, <= 20 mA
Output voltage	40 V DC
Input impedance	110 kOhm
Number of inputs	2
Output impedance	50 Ohm
Voltage state 0 guaranteed	0...4 V DC
Voltage state 1 guaranteed	18.5...36 V DC
Width	90.5 mm
Depth	14.6 mm
Height	53 mm
Net weight	50 g

### Environment

Ambient air temperature for operation	-10...60 °C
Ambient air temperature for storage	-25...70 °C

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	8 cm
Package 1 Length	9.5 cm

<b>Package 1 Weight</b>	104 g
<b>Unit Type of Package 2</b>	S03
<b>Number of Units in Package 2</b>	60
<b>Package 2 Height</b>	30 cm
<b>Package 2 Width</b>	30 cm
<b>Package 2 Length</b>	40 cm
<b>Package 2 Weight</b>	6.98 kg



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

SCIP Number

A7ebbabc-caf1-4cb4-a60a-4e5e23907d1f

REACH Regulation

[REACH Declaration](#)

## Use Again

### Repack and remanufacture

End of life manual availability

[End of Life Information](#)

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins