

Product data sheet

Specifications

SQUARE D



Panelboard interior, NQ, main lugs, 225A, 30 pole spaces, 3 phase, 3 wire, 208Y/120VAC, left

NQOB83032BL

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Panelboard Type	Main lugs
Branch Circuit Breaker Type	QOB QOB-VH QHB
Busbar Material	Aluminium

Complementary

Number of spaces	30
Line Rated Current	225 A
[Iu] rated interrupted current	10 kA 22 kA 65 kA
Number of Phases	3 phase 3 wires
Voltage Rating	208Y/120 V AC
Tightening torque	50.007 lbf.in (5.65 N.m) (AWG 14...AWG 1/0) 180.02 lbf.in (20.34 N.m) (AWG 10...AWG 2/0) 180.02 lbf.in (20.34 N.m) (AWG 6...AWG 2/0) 254.37 lbf.in (28.74 N.m) (AWG 6...300 kcmil) 50.007 lbf.in (5.65 N.m) (AWG 4...AWG 1/0) 77.36 lbf.in (8.74 N.m) (AWG 4...300 kcmil)

Environment

Standards	UL CSA
-----------	-----------

Ordering and shipping details

Category	US1PE1A00013
Discount Schedule	PE1A
GTIN	785901629344
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.98 in (15.2 cm)
Package 1 Width	9.02 in (22.9 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	42.99 in (109.2 cm)
Package weight(Lbs)	15.0003 lb(US) (6.804 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant

Use Again

 Repack and remanufacture	
Take-back	No