

Product data sheet

Specifications



Door hinges for PanelSeT S3D enclosure, door opening: 180°.

NSYAEDH180S3D

Main

Range	PanelSeT
Product or component type	Hinge
Application	Multi-purpose
Nominal dimensions of the housing	-
Mounting location	Enclosure
Range compatibility	PanelSeT S3D enclosure
Device composition	Fixing elements 1 x pin 1 x hinge
Quantity per set	Set of 1

Complementary

Material	Pin: aluminium Hinge body: zamak
Fixing mode	By screws - on enclosure body location
Operating angle	180 °
Maximum load	20 kg/m ²
Net weight	0.052 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	5.000 cm
Package 1 Length	8.000 cm
Package 1 Weight	50.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	100
Package 2 Height	20.000 cm
Package 2 Width	20.000 cm
Package 2 Length	30.000 cm
Package 2 Weight	5.350 kg
Unit Type of Package 3	PAM

Number of Units in Package 3	1000
Package 3 Height	100.000 cm
Package 3 Width	100.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	54.000 kg

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

B8d0fb33-5e43-4121-80bd-e0d068ed5eda

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

Image of product / Alternate images

Alternative

