

Product data sheet

Specifications



Outlet grille - plastic - cut out 291x291mm - ext. dim 336x316mm - IP54

NSYCAG291LPF

Product availability: Stock - Normally stocked in distribution facility

Overview

Lead time Usually Ships within 4 Weeks

Main

| | |
|---------------------------------------|-------------------------------------------------------------------------|
| Range | ClimaSys |
| Product | ClimaSys CA |
| Range compatibility | Prisma Prisma P Prisma Prisma G |
| Certification | CSA |
| Product or Component Type | Outlet grille |
| Accessory / separate part category | Thermal management accessory |
| Accessory / separate part destination | ClimaSys ventilation system |
| Fixing Mode | By screws Clipped |
| Device composition | 1 support frame 1 external part 1 G2 M1 synthetic standard filter |

Complementary

| | |
|--------------------|---------------------------------|
| Material | Injected thermoplastic (ASA PC) |
| color | External part Gray RAL 7035) |
| Cut-out dimensions | 291 x 291 mm |
| Height | External: 13.2 in (336 mm) |
| Width | External: 12.4 in (316 mm) |
| Depth | External : 0.7 in (18 mm) |

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US10ES180036 |
| Discount Schedule | 0ES1 |
| GTIN | 3606480151552 |
| Returnability | Yes |
| Country of origin | FR |

Packing Units

Unit Type of Package 1 PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|-----------------------------|
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 1.969 in (5.000 cm) |
| Package 1 Width | 12.795 in (32.500 cm) |
| Package 1 Length | 13.583 in (34.500 cm) |
| Package weight(Lbs) | 29.171 oz (827.000 g) |
| Unit Type of Package 2 | CAR |
| Number of Units in Package 2 | 6 |
| Package 2 Height | 15.748 in (40.000 cm) |
| Package 2 Width | 11.811 in (30.000 cm) |
| Package 2 Length | 15.748 in (40.000 cm) |
| Package 2 Weight | 11.923 lb(US) (5.408 kg) |
| Unit Type of Package 3 | P12 |
| Number of Units in Package 3 | 144 |
| Package 3 Height | 51.575 in (131.000 cm) |
| Package 3 Width | 31.496 in (80.000 cm) |
| Package 3 Length | 47.244 in (120.000 cm) |
| Package 3 Weight | 319.671 lb(US) (145.000 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No