

Product data sheet

Specifications



Airing grille cut-out diameter 38mm IP45

NSYCAG38LP

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	ClimaSys
Product	ClimaSys CA
Range compatibility	Thalassa Thalassa PLS Thalassa Thalassa PLM Thalassa Thalassa TBS
Product or Component Type	Plastic ventilation louvre
Accessory / separate part category	Thermal management accessory
Accessory / separate part destination	ClimaSys ventilation system
Fixing Mode	By screws
Device composition	2 plastic louvre

Complementary

Material	Polyamide 6
color	Gray RAL 7032)
Cut-out dimensions	38 mm
Height	External: 2.5 in (63 mm)
Width	External: 2.5 in (63 mm)
Depth	Thread : 0.6 in (15 mm)
IP degree of protection	IP45

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480151897
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.378 in (3.500 cm)
Package 1 Width	3.937 in (10.000 cm)
Package 1 Length	4.331 in (11.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package weight(Lbs)	2.046 oz (58.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	200
Package 2 Height	15.748 in (40.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	27.077 lb(US) (12.282 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	1600
Package 3 Height	38.189 in (97.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	244.713 lb(US) (111.000 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

