

Product data sheet

Specifications



Climasys CC - electronic hygrostat - 200–240 V - Hr 20–80% - OLED screen

NSYCCOHY230VID

Main

Range	ClimaSys
Product name	ClimaSys CC
Product or component type	Electronic hygrostat
Humidity setting range	20...80 %
Display type	OLED screen
Information displayed	Relative humidity

Complementary

Input voltage	200...240 V AC
Maximum switching capacity	4 A 230 V AC
Electrical connection	6 terminals, clamping capacity: 2.5 mm ²
Mounting mode	By screws Clipped
Height	External: 85 mm
Width	External: 56 mm
Depth	External : 44 mm
Mounting location	On mounting plate Cross rails 35 mm DIN rail Spacial upright
Ambient air temperature for operation	-40...80 °C
Hysteresis	3 %
Number of outputs	2 heating function
Material	PC
Colour	Light grey
Flame retardance	Self-extinguishing conforming to UL94 (material V0)
Product certifications	UR

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.800 cm
Package 1 Width	7.500 cm

Package 1 Length	8.700 cm
Package 1 Weight	154.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	75
Package 2 Height	27.000 cm
Package 2 Width	30.300 cm
Package 2 Length	45.000 cm
Package 2 Weight	11.550 kg
Unit Type of Package 3	PAM
Number of Units in Package 3	900
Package 3 Height	93.000 cm
Package 3 Width	100.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	150.000 kg

Contractual warranty

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	3452f1a3-f13d-4adf-84ba-2572bcc8e35c
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins