

# Product data sheet

Specifications



## PanelSeT CRN plain door w/o mount.plate. H300xW250xD150 IP66 IK10 RAL7035..

NSYCRN325150

Product availability: Stock - Normally stocked in distribution facility

### Main

|                             |                                                   |
|-----------------------------|---------------------------------------------------|
| Range                       | PanelSeT                                          |
| Product name                | PanelSeT CRN                                      |
| Application                 | Multi-purpose                                     |
| Category                    | Compact enclosure                                 |
| Enclosure nominal height    | 11.8 in (300 mm)                                  |
| Enclosure nominal width     | 9.8 in (250 mm)                                   |
| Enclosure nominal depth     | 5.9 in (150 mm)                                   |
| Installation accessory type | Wall-mounting                                     |
| Device composition          | 1 body<br>1 cable gland plate<br>1 door<br>1 lock |
| Door type                   | Solid                                             |
| Mounting plate description  | Without mounting plate                            |

### Complementary

|                             |                                                                                                            |
|-----------------------------|------------------------------------------------------------------------------------------------------------|
| body type                   | Sides made from a single folded section<br>Back welded with double profile forming a protected sealed area |
| Number of doors             | Front face 1                                                                                               |
| Door opening side           | Reversible 120 °)                                                                                          |
| Lock type                   | 3 mm double-bar lock                                                                                       |
| Type of gland plate         | Standard                                                                                                   |
| Accessibility for operation | Front                                                                                                      |
| Removable parts             | Door by hinges<br>Cable gland plate by screws                                                              |
| Material                    | Body steel                                                                                                 |
| Surface finish              | epoxy-polyester powder                                                                                     |
| color                       | Gray RAL 7035)                                                                                             |
| Standards                   | IEC 62208<br>UL<br>CUL                                                                                     |
| Product Certifications      | UL<br>cUL<br>DNV-GL                                                                                        |
| Net Weight                  | 8.20 lb(US) (3.72 kg)                                                                                      |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Environment

|                         |                |
|-------------------------|----------------|
| IP degree of protection | IP66 IEC 60529 |
| IK degree of protection | IK10 IEC 62262 |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180034  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480212611 |
| Returnability     | Yes           |
| Country of origin | ES            |

## Packing Units

|                              |                              |
|------------------------------|------------------------------|
| Unit Type of Package 1       | PCE                          |
| Nbr. of units in pkg.        | 1                            |
| Package 1 Height             | 12.598 in (32.000 cm)        |
| Package 1 Width              | 10.433 in (26.500 cm)        |
| Package 1 Length             | 6.693 in (17.000 cm)         |
| Package weight(Lbs)          | 8.113 lb(US) (3.680 kg)      |
| Unit Type of Package 2       | PAM                          |
| Number of Units in Package 2 | 147                          |
| Package 2 Height             | 78.740 in (200.000 cm)       |
| Package 2 Width              | 39.370 in (100.000 cm)       |
| Package 2 Length             | 47.244 in (120.000 cm)       |
| Package 2 Weight             | 1221.362 lb(US) (554.000 kg) |

## Contractual warranty

|          |              |
|----------|--------------|
| Coverage | Core product |
| Warranty | 18 months    |

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

| Environmental footprint                        |                                               |
|------------------------------------------------|-----------------------------------------------|
| Carbon footprint (kg CO2 eq, Total Life cycle) | 35                                            |
| Environmental Disclosure                       | <a href="#">Product Environmental Profile</a> |

Use Better

| Materials and Substances               |                                                            |
|----------------------------------------|------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                         |
| Packaging without single use plastic   | No                                                         |
| <a href="#">EU RoHS Directive</a>      | Pro-active compliance (Product out of EU RoHS legal scope) |
| SCIP Number                            | E893f0a0-d2cc-4011-9425-3873dde70142                       |
| REACH Regulation                       | <a href="#">REACH Declaration</a>                          |

Use Again

| Repack and remanufacture |                                          |
|--------------------------|------------------------------------------|
| Circularity Profile      | No need of specific recycling operations |
| Take-back                | No                                       |

Technical Illustration

Dimensions

---



Offer Marketing Illustration

Product benefits / Features

---



Sturdy components' protection



Earthing studs included



Large choice of dimensions & accessories





Quality & aesthetics



Easy to equip  
Easy to maintain



Built to last