

Product data sheet

Specifications



Aluminum filter for Side Connected Cooling Unit, Climasys CU, 0,8 - 1kW

NSYCUACC006DG

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	ClimaSys
Product name	ClimaSys CU
Product or Component Type	Filter
Range compatibility	ClimaSys Climasys CU cooling unit
Accessory / separate part category	Thermal management accessory

Complementary

Mounting Location	Side
Product destination	Side-mounting cooling unit 875 W Side-mounting cooling unit 1000 W
Accessory / separate part destination	ClimaSys cooling unit
Quantity per Set	Set of 1
Material	Aluminium
Net Weight	1.3 lb(US) (0.6 kg)
Width	12.6 in (320 mm)
Height	12.6 in (320 mm)
Thickness	0.3 in (8 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606486379295
Returnability	No
Country of origin	MT

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.79 in (2.000 cm)
Package 1 Width	13.78 in (35.000 cm)
Package 1 Length	13.78 in (35.000 cm)
Package weight(Lbs)	8.748 oz (248.000 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Coverage	Core product
Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better


 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)

Use Again

 Repack and remanufacture	
Take-back	No

Technical Illustration

Wiring diagram



Offer Marketing Illustration

Product benefits / Features

The infographic features a central image of three Schneider Electric NSYCUACC006DG cooling units: a small floor-standing unit, a medium wall-mounted unit, and a large rack-mounted unit. Surrounding this central image are six circular icons, each with a corresponding text description of a product benefit or feature.

- Connected with alarming and setting data**: Represented by an icon of a speaker with sound waves.
- Easy selection with 40 references IEC & UL**: Represented by an icon of a 2x2 grid with checkmarks.
- 3 redundant modes for critical application**: Represented by an icon of a server rack with three arrows pointing to different sections.
- Recycled packaging, good energy efficiency ratio**: Represented by an icon of a recycling symbol with a leaf.
- 30% Smaller and lighter Cooling Units**: Represented by an icon of a square with a diagonal line and a smaller square.
- Easy mounting with 3 positions, easy spare parts replacement**: Represented by an icon of a clock with a circular arrow.