

Product datasheet

Specifications



Plain door PanelSeT CRN H600xW500 RAL 7035, with lock

NSYDCRN65

EAN Code: 3606480435577

Price: 210,30 EUR

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or component type	Door
Application	Multi-purpose
For enclosure nominal dimensions	-
Mounting location	Front
Range compatibility	PanelSeT PanelSeT CRN
Device composition	1 door locking system
Quantity per set	Set of 1

Complementary

Material	Door: sheet steel
Colour	Grey (RAL 7035)
Surface finish	Textured epoxy polyester
Lock type	Lock 3 mm double bar
Number of locks	2
Door type	Plain
Door opening side	Reversible (120 °)
Maximum load	50 kg/m²
Height	Nominal: 600 mm
Width	Nominal: 500 mm
Net weight	4.27 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	61.000 cm
Package 1 Length	81.000 cm
Package 1 Weight	4.270 kg
Unit Type of Package 2	P12

Rates duty January 2016

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	15
Package 2 Height	70.500 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	82.170 kg

Contractual warranty

Coverage	Core product
Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	Ba0ee14c-eebb-47d8-a070-ade906247bb0
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	Yes