


Product data sheet

Specifications



Microperforated mounting plate H1000xW1000 w/holes diam 3,6mm on 12,5mm pitch

NSYMF1010

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	- H: 1000 mm W: 1000 mm
Mounting location	Direct fixing on backstuds Step slide
Mounting plate description	Microperforated
Range compatibility	PanelSeT S3D PanelSeT CRN PanelSeT PLM
Quantity per set	Set of 1
Material	Galvanised steel

Complementary

Fixing mode	Screwed on backstuds - screw type M8 By fixing element
Permanent permissible load	225.6 kg S3D, CRN, S3X enclosures 135.4 kg PLM enclosure
Maximum load	250 kg S3D, CRN, S3X enclosures 150 kg PLM enclosure
Height	950 mm
Width	950 mm
Surface and useful surface	90.3 dm ²
thickness	2.5 mm
Net weight	17.826 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	95.000 cm
Package 1 Length	95.000 cm
Package 1 Weight	17.000 kg

Unit Type of Package 2	PAM
Number of Units in Package 2	25
Package 2 Height	58.500 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	438.000 kg

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No