

Plain mounting plate H250xW500mm made of galvanised sheet steel

NSYMM2550

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT	
Accessory / separate part category	Mounting accessory	
Product or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure nominal dimensions	- H: 9.8 in (250 mm) W: 19.7 in (500 mm)	
Mounting Location	Direct fixing on backstuds Step slide	
Mounting plate description	Plain	
Range compatibility	PanelSeT S3D PanelSeT CRN PanelSeT PLM	
Quantity per Set	Set of 1	
Material	galvanised steel	

Complementary

Fixing mode	Screwed on backstuds M8 By fixing element	
Permanent permissible load	132.3 lb(US) (60 kg)	
Height	7.9 in (200 mm)	
Width	17.7 in (450 mm)	
thickness	0.07 in (1.8 mm)	
Net Weight	2.9 lb(US) (1.3 kg)	

Ordering and shipping details

Category	US10ES180036	
Discount Schedule	0ES1	
GTIN	3606480183263	
Returnability	No	
Country of origin	ES	

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	17.717 in (45.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	7.874 in (20.000 cm)	
Package 1 Length	0.118 in (0.300 cm)	
Package weight(Lbs)	2.694 lb(US) (1.222 kg)	
Unit Type of Package 2	PAM	
Number of Units in Package 2	200	
Package 2 Height	21.654 in (55.000 cm)	
Package 2 Width	39.370 in (100.000 cm)	
Package 2 Length	47.244 in (120.000 cm)	
Package 2 Weight	566.588 lb(US) (257.000 kg)	

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	13
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions

