

Product data sheet

Specifications



Plain mounting plate, PanelSeT SFN, PanelSeT SF, PanelSeT SM, for electrical enclosure H2200 W1000mm, galvanized steel

NSYMP2210

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	- H: 86.6 in (2200 mm)
Mounting plate description	Plain
Range compatibility	PanelSeT PanelSeT SF SF PanelSeT SM PanelSeT SM PanelSeT SFX PanelSeT SFX PanelSeT SMX PanelSeT SMX
Device composition	1 mounting plate 2 sliding shoes
Quantity per Set	Set of 1
Material	galvanised steel

Complementary

Fixing mode	By fixing brackets
Maximum load	300 kg/m ²
Permanent permissible load	1102.3 lb(US) (500 kg) intermediate position 1322.8 lb(US) (600 kg) back of the enclosure
Height	Fixing centers: 80.7 in (2050 mm) Nominal: 86.6 in (2200 mm) Real: 82.6 in (2097 mm)
Width	Fixing centers: 33.5 in (850 mm) Nominal: 39.4 in (1000 mm) Real: 35.3 in (896 mm)
Depth	1.06 in (27 mm)

Ordering and shipping details

Category	US10ES180035
Discount Schedule	0ES1
GTIN	3606485126975
Returnability	Yes
Country of origin	ES

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.575 in (4.000 cm)
Package 1 Width	35.827 in (91.000 cm)
Package 1 Length	83.071 in (211.000 cm)
Package weight(Lbs)	90.390 lb(US) (41.000 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	22.441 in (57.000 cm)
Package 2 Width	47.244 in (120.000 cm)
Package 2 Length	83.071 in (211.000 cm)
Package 2 Weight	974.444 lb(US) (442.000 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 420

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No