

Product data sheet

Specifications



Standard coupling kit, PanelSeT SFN, PanelSeT SF, set of 4 brackets, 2 connectors, sealing gasket and fixing elements

NSYSFBK

Main

Range	PanelSeT
Accessory / separate part category	Coupling accessory
Product or component type	Coupling kit
Anwendung	Multi-purpose
Mounting location	Side coupling of 2 enclosures Depthwise coupling of 2 enclosures
Range compatibility	PanelSeT SF suitable enclosure
Device composition	2 flat connector 4 bracket fixing elements sealing gasket
Quantity per set	Set of 1

Complementary

Material	Sealing gasket: EPDM Bracket: steel Flat connector: steel
Surface finish	Zinc coated
Fixing mode	By screws - screw type M6 self tapping
Height	65 mm
Width	340 mm
Depth	365 mm
IP degree of protection	IP55
Mounting diameter	0 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.500 cm
Package 1 Width	34.000 cm
Package 1 Length	36.500 cm
Package 1 Weight	1.664 kg
Unit Type of Package 2	P12
Number of Units in Package 2	100

Package 2 Height	116.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	187.000 kg

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 12

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number 52da316e-d4e1-4114-85c0-32a03b2934fd

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability No need of specific recycling operations

Take-back No