

# Product data sheet

Specifications

## Lifting eyebolts, PanelSeT SFN, PanelSeT SF, steel , M12 , set of 4



NSYSFEB

### Overview

Lead time Usually Ships within 4 Weeks

### Main

Area	PanelSeT
category	Lifting accessory
Product or component type	Lifting eye
Application	Multi-purpose
Mounting location	Enclosure top
Mounting support	Directly in the axis of the uprights
Range compatibility	Prisma Prisma PH PanelSeT PanelSeT SFHD PanelSeT PanelSeT SFM
Device composition	4 eyebolt
Quantity per set	Set of 1

### Complementary

Material	Cast steel
Surface finish	Galvanized
Fixing mode	Screwed
Permanent permissible load	340 kg for 1 eyebolt vertical direction
Height	62.5 mm
Width	55 mm
Depth	24 mm
Diameter	29 mm
ISO thread	M12

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.500 cm
Package 1 Width	9.000 cm
Package 1 Length	14.000 cm
Package 1 Weight	692.000 g

<b>Unit Type of Package 2</b>	P12
<b>Number of Units in Package 2</b>	400
<b>Package 2 Height</b>	80.000 cm
<b>Package 2 Width</b>	80.000 cm
<b>Package 2 Length</b>	120.000 cm
<b>Package 2 Weight</b>	289.800 kg

## **Contractual warranty**

<b>Coverage</b>	Core product
<b>Warranty</b>	18 months

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint 5

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

## Use Again

### Repack and remanufacture

End of life manual availability No need of specific recycling operations

Take-back No