

Product data sheet

Specifications



Lifting bar, PanelSeT SFN, PanelSeT SF, L2400mm , steel , set of 2

NSYSFTB24

Main

Area	PanelSeT
category	Lifting accessory
Product or component type	Lifting bar
Application	Multi-purpose
Mounting location	Enclosure top
Mounting support	Directly in the axis of the uprights
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SFHD PanelSeT PanelSeT SFM
Device composition	2 lifting bars fixing elements
Quantity per set	Set of 1

Complementary

Material	Steel
Surface finish	Zinc coated
Fixing mode	By screws - screw type M12
Permanent permissible load	3000 kg
Length	Nominal: 2400 mm Real: 2395 mm
Height	60 mm
Depth	60 mm
Diameter	32 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.500 cm
Package 1 Width	12.000 cm
Package 1 Length	289.000 cm
Package 1 Weight	40.000 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	10

Package 2 Height	95.000 cm
Package 2 Width	12.000 cm
Package 2 Length	289.000 cm
Package 2 Weight	400.000 kg

Contractual warranty

Coverage	Core product
Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No