


Product data sheet

Specifications



Side entry rails for the mounting plate, PanelSeT SFN, PanelSeT SF, W800mm , set of 2

NSYSMPSE8

Main

category	Mounting accessory
Product or component type	Rail
Range compatibility	PanelSeT SF
Application	Multi-purpose
Nominal dimensions of the housing	- D: 800 mm
Mounting location	Bottom of enclosure, in width
Product destination	Mounting plates in coupled enclosures
Device composition	2 rail fixing elements
Quantity per set	Set of 1
Material	Steel

Complementary

Surface finish	Zinc coated
Fixing mode	By fixing element
Adjustment	Adjustable in depth every 25 mm
Height	48 mm
Width	788 mm
Depth	74 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.000 cm
Package 1 Width	9.000 cm
Package 1 Length	80.000 cm
Package 1 Weight	4.338 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	29.000 cm
Package 2 Width	37.500 cm
Package 2 Length	120.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	43.380 kg
------------------	-----------

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No