

Product data sheet

Specifications



Front & rear plinth, PanelSeT SFN,
Spacial SF, Spacial SM, for
electrical enclosure W1000mm,
plinth H200mm

NSYSPF10200

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or Component Type	Plinth front
Application	Multi-purpose
Nominal dimensions of the housing	-
Device composition	fixing elements 4 corner cover 4 corner 2 front panel 2 rear panel
Range compatibility	PanelSeT SF PanelSeT SM PanelSeT S3D PanelSeT CRN PanelSeT SFN
Mounting support	Plinth side panels

Complementary

Fixing mode	By fixing element - on structure
color	Gray RAL 7022)
Surface Finish	Epoxy-polyester powder
Permanent permissible load	2866.01 lb(US) (1300 kg)
Height	7.9 in (200 mm)
Width	Nominal: 39.4 in (1000 mm)

Environment

IP degree of protection	IP20 complete plinth)
IK degree of protection	IK10

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606485126692
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin	IN
-------------------	----

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Nbr. of units in pkg.	1
-----------------------	---

Package 1 Height	8.268 in (21.000 cm)
------------------	----------------------

Package 1 Width	8.268 in (21.000 cm)
-----------------	----------------------

Package 1 Length	40.157 in (102.000 cm)
------------------	------------------------

Package weight(Lbs)	24.030 lb(US) (10.900 kg)
---------------------	---------------------------

Unit Type of Package 2	PAL
------------------------	-----

Number of Units in Package 2	24
------------------------------	----

Package 2 Height	39.764 in (101.000 cm)
------------------	------------------------

Package 2 Width	39.764 in (101.000 cm)
-----------------	------------------------

Package 2 Length	47.638 in (121.000 cm)
------------------	------------------------

Package 2 Weight	584.225 lb(US) (265.000 kg)
------------------	-----------------------------

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 81

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number 52da316e-d4e1-4114-85c0-32a03b2934fd

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No