


Product data sheet

Specifications



Front & rear plinth, PanelSeT SFN, Spacial SF, Spacial SM, for electrical enclosure W1200mm , plinth H200mm

NSYSPF12200

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or Component Type	Plinth front
Application	Multi-purpose
Nominal dimensions of the housing	-
Device composition	fixing elements 4 corner cover 4 corner 2 front panel 2 rear panel
Range compatibility	PanelSeT SF PanelSeT SM PanelSeT S3D PanelSeT CRN PanelSeT SFN
Mounting support	Plinth side panels

Complementary

Fixing mode	By fixing element - on structure
color	Gray RAL 7022)
Surface Finish	Epoxy-polyester powder
Permanent permissible load	2866.01 lb(US) (1300 kg)
Height	7.9 in (200 mm)
Width	Nominal: 47.2 in (1200 mm)

Environment

IP degree of protection	IP20 complete plinth)
IK degree of protection	IK10

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606485126708
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	IN
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	8.071 in (20.500 cm)
Package 1 Width	8.071 in (20.500 cm)
Package 1 Length	47.835 in (121.500 cm)
Package weight(Lbs)	30.865 lb(US) (14.000 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	20
Package 2 Height	39.370 in (100.000 cm)
Package 2 Width	42.520 in (108.000 cm)
Package 2 Length	48.031 in (122.000 cm)
Package 2 Weight	665.797 lb(US) (302.000 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	104
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No