Product data sheet

Specifications

Std for CRN WM To be coupled with cable entry D. L417xW120

NSYTLCRND

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Product or Component Type	Cable gland plate
Accessory / separate part category	Cable management accessory
Application	Multi-purpose
Range compatibility	PanelSeT CRN PanelSeT CRN
Mounting Location	Enclosure bottom
Cable gland type	Standard
Device composition	fixing elements 1 plate 1 separated seal
Quantity per Set	Set of 1
Material	Plate steel Seal polyethylene (PE) foam

Complementary

color	Plate Gray RAL 7035)
Surface Finish	Epoxy-polyester powder
Height	13.6 in (345 mm)
Width	Real: 5.8 in (148 mm)
Net Weight	1.248 lb(US) (0.566 kg)
thickness	0.04 in (1 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480211584
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	17.717 in (45.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	5.906 in (15.000 cm)
Package 1 Length	0.394 in (1.000 cm)
Package weight(Lbs)	19.965 oz (566.000 g)

Contractual warranty

Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained 〉

How we assess product sustainability 〉

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
REACh Regulation	REACh Declaration

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No