

Product data sheet

Specifications



Plug-in bridge, Linergy TR, 2 points, for 2.5mm² terminal blocks, 2 way, red, set of 50

NSYTRAL22

Main

Range	Linergy
Product name	Linergy TR
Product or component type	Plug-in bridge
Device short name	TRA
Accessory / separate part category	Connection accessory
Product compatibility	TRV screw terminal terminal block TRP push-in terminal block TRH IDC terminal block TRR spring terminal - passthrough terminal block TRR spring terminal - protective earth terminal block, length = 78 mm TRR spring terminal - blade disconnect terminal block TRR spring terminal - removable carrier disconnect terminal block
Number of ways	2 ways

Complementary

Cable cross section	2.5 mm ²
number of connections	3 4 2
Number of measurement input	2 6 1 3 4
Quantity per set	Set of 50
Net weight	1.7 g
Colour	Red

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	4.000 cm
Package 1 Length	2.600 cm
Package 1 Weight	0.900 g
Unit Type of Package 2	BB1
Number of Units in Package 2	50

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	2.000 cm
Package 2 Width	4.000 cm
Package 2 Length	13.000 cm
Package 2 Weight	84.000 g
Unit Type of Package 3	S01
Number of Units in Package 3	1750
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	3.136 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

Use Again

 Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No