

vertical bridge, Linergy TR, 2 points, for 2 level screw terminals NSYTRV24D, NSYTRV4, 1 pole, set of 50

NSYTRALV24

Product availability: Stock - Normally stocked in distribution facility

Main

Range	Linergy
Product name	Linergy TR
Product or Component Type	Vertical bridge
Device short name	TRA
Accessory / separate part category	Connection accessory
Product compatibility	TRV screw terminal - passthrough terminal block

Complementary

Cable cross section	0.0040.006 in² (2.54 mm²)	
number of connections	2	
Number of measurement input	4	
Quantity per Set	Set of 50	
Net Weight	0.04 oz (1.1 g)	

Ordering and shipping details

Category	US10CP521715
Discount Schedule	0CP5
GTIN	3606480533532
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.118 in (0.300 cm)
Package 1 Width	0.197 in (0.500 cm)
Package 1 Length	1.693 in (4.300 cm)
Package weight(Lbs)	0.032 oz (0.900 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	50
Package 2 Height	0.591 in (1.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Width	1.772 in (4.500 cm)
Package 2 Length	2.953 in (7.500 cm)
Package 2 Weight	1.975 oz (56.000 g)
Unit Type of Package 3	S01
Number of Units in Package 3	4000
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	5.906 in (15.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	10.296 lb(US) (4.670 kg)

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
Halogen content performance	Halogen free plastic parts product
PVC free	Yes
Silicon free	Yes

Use Again

○ Repack and remanufacture		
Take-back	No	