

Product data sheet

Specifications



Triangular male lock insert 8mm for PanelSeT S3X enclosure, 100% stainless steel

NSYTT8CSX

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Product or Component Type	Lock insert

Complementary

Accessory / separate part category	Locking accessory
Accessory / Separate Part Type	Insert for lock
Device Application	Multi-purpose
Mounting Support	Direct mounting on standard lock
Range compatibility	PanelSeT PanelSeT S3X
Device composition	1 shape insert
Quantity per Set	Set of 1
Material	Shape insert stainless steel
Lock type	Lock 8 mm triangular insert

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480156168
Returnability	No
Country of origin	DE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.79 in (2.000 cm)
Package 1 Width	3.54 in (9.000 cm)
Package 1 Length	5.91 in (15.000 cm)
Package weight(Lbs)	2.646 oz (75.000 g)

Contractual warranty

Coverage	Core product
Warranty	18 months

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	B275ac6d-38de-4397-a911-e79c04976382
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

